

091 804 458

cgc



Knobbe Martens Olson & Bear LLP

Intellectual Property Law

550 West C Street
Suite 1200
San Diego CA 92101
Tel 619-235-8550
Fax 619-235-0176
www.kmob.com

Thomas R. Arno
619-687-8629
tarno@kmob.com

September 7, 2006

Certificate
SEP 14 2006
of Correction

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: Title: MULTI-WELL PLATE AND ELECTRODE ASSEMBLIES
FOR ION CHANNEL ASSAYS

Letters Patent No. 6,969,449

Issued: November 29, 2005

Our Reference: AUROBIO.026DV3

Dear Sir:

Enclosed for filing is a Certificate of Correction in connection with the above-identified patent.

As the errors cited in the Certificate of Correction were incurred through the fault of the Patent Office, no fee is believed to be required. However, please charge our Deposit Account No. 11-1410 for any fees that may be incurred with this request.

Respectfully submitted,

Knobbe, Martens, Olson & Bear, LLP

Thomas R. Arno
Registration No. 40,490
Customer No. 20,995

Enclosures

2885466:083006/JJH

SEP 15 2006

Orange County
949-760-0404

San Francisco
415-954-4114

Los Angeles
310-551-3450

Riverside
951-781-9231

San Luis Obispo
805-547-5580

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 6,969,449
APPLICATION NO. : 09/804,458
ISSUE DATE : November 29, 2005
INVENTOR(S) : Maher, et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Page 2, Specification, Column 1, Line 8, delete "60/217,671," and insert - -60/217,617,--

Page 10, Specification, Column 6, Line 66, delete "equal to" and insert - -the limit of - -

Page 60, Specification, Table 2, Line 43, delete "Kv3.4 (Raw)" and insert - -Kv3.4 (Raw3)- -

Page 108, Specification, Column 72, Line 52, delete " $(\tau_r) \tau_r = 5.7$ " and insert - - $t(\tau_r) \tau_r = 5.7$ - -

Page 122, Specification, Column 81, Line 42, delete "plutonic." and insert - - pluronic. - -

Page 122, Specification, Column 81, Line 42, delete "DMS" and insert - -DMSO- -

Page 122, Specification, Column 81, Line 59, delete "plutonic" and insert - -pluronic - -

Page 122 Specification, Column 82, Line 11, delete "(a) Assay Buffer #1".

Page 123, Specification, Column 82, Line 24, delete "avenge" and insert - -average - -

Page 124, Specification, Column 83, Line 12, delete "indentification" and insert - -identification- -

Page 6, Claims, Column 85, Line 7, In Claim 29, after "Claim 14" delete ".,".

2845357:081706/JJH

MAILING ADDRESS OF SENDER:

Thomas R. Arno
KNOBBE, MARTENS, OLSON & BEAR, LLP
2040 Main Street, 14th Floor
Irvine, California 92614

DOCKET NO. AUROBIO.026DV3

SEP 15 2006